Brain Research, 499 (1989) 407–409
Elsevier

Author Index

Anderson, C.R., see Elghozi, J.-L., 39
Auerbach, S.B., Minzenberg, M.J. and Wilkinson, L.O., Extracellular serotonin and 5-hydroxyindoleacetic acid in hypothalamus of the unanesthetized rat measured by in vivo dialysis coupled to high-performance liquid chromatography with electrochemical detection: dialysate serotonin reflects neuronal release, 281

Bagley, P.R., Tucker, S.P., Nolan, C., Lindsay, J.G., Davies, A., Baldwin, S.A., Cremer, J.E. and Cunningham, V.J., Anatomical mapping of glucose transporter protein and pyruvate dehydrogenase in rat brain: an immunogold study, 214
Baker, R.L., see Fernstrom, M.H., 291
Baldwin, S.A., see Bagley, P.R., 214
Beckman, H., see Kornhuber, J., 81
Blair-West, J.R., see Osborne, P.G., 101
Bloss, J.L. and Hammond, D.L., Intermittent shock titration task in the Rhesus monkey and its validity as an analgesiometric procedure, 344
Boadle-Biber, M.C., see Johannessen, J.N., 357
Born, W., see Fried, G., 315
Brodie, M.S., see Gerhardt, G.A., 157
Brodin, E., see Fried, G., 315
Brodin, L., see Hill, R.H., 388
Brooks, B.R., see Rozenthal, J.M., 397

Cadahia, V., see Rozenthal, J.M., 397
Charlton, F.G., see Johnson, M., 184
Cheng, J.-T., see Sessler, F.M., 27
Choi, W.C., Gerfen, C.R., Suh, P.G. and Rhee, S.G., Immunohistochemical localization of a brain isozyme of phospholipase C (PLC III) in astroglia in rat brain, 193
Clemens, L.G., see Wagner, C.K., 93
Coirini, H., see Grillo, C., 225
Condés-Lara, M., Omaña Zapata, I., León-Olea, M. and Sánchez-Alvarez, M., Dorsal raphe neuronal responses to thalamic centralis lateralis and medial prefrontal cortex electrical stimulation, 141
Condés-Lara, M., Omaña Zapata, I., León-Olea, M. and Sánchez-Alvarez, M., Dorsal raphe and nociceptive stimulations evoke convergent responses on the thalamic centralis lateralis and medial prefrontal cortex neurons, 145
Court, J.A., see Johnson, M., 184
Cox, J.A., Lysko, P.G. and Henneberry, R.C., Excitatory amino acid neurotoxicity at the *N*-methyl-D-aspartate receptor in cultured neurons: role of the voltage-dependent magnesium block, 267
Cox, J.A., see Lysko, P.G., 258
Crane, A.M. and Porrino, L.J., Adaptation of the quantitative 2-[^{14}C]deoxyglucose method for use in freely moving rats, 87
Cremer, J.E., see Bagley, P.R., 214
Cunningham, V.J., see Bagley, P.R., 214
Curet, O. and De Montigny, C., Electrophysiological characterization of adrenoceptors in the rat dorsal hippocampus. III. Evidence for the physiological role of terminal α2-adrenergic autoreceptors, 18

Davies, A., see Bagley, P.R., 214
Day, T.A., see Sibbald, J.R., 164
De Montigny, C., see Curet, O., 18
De Nicola, A.F., see Grillo, C., 225
Denton, D.A., see Osborne, P.G., 101
Dildy, J.E. and Leslie, S.W., Ethanol inhibits NMDA-induced increases in free intracellular Ca^{2+} in dissociated brain cells, 383
Dom, R., see Duysens, J., 131
Duysens, J., Dom, R. and Gybels, J., Suppression of the hindlimb flexor reflex by stimulation of the medial hypothalamus and thalamus in the rat, 131

Elghozi, J.-L., Head, G.A., Wolf, W.A., Anderson, C.R. and Korner, P.I., Importance of spinal noradrenergic pathways in cardiovascular reflexes and central actions of clonidine and α-methyldopa in the rabbit, 39
Emson, P.C., see Ichimiya, Y., 402
Eskin, T.A., see Lynch III, J.J., 325

Fernstrom, J.D., see Fernstrom, M.H., 291
Fernstrom, M.H., Baker, R.L. and Fernstrom, J.D., In vivo tyrosine hydroxylation rate in retina: effects of phenylalanine and tyrosine administration in rats pretreated with *p*-chlorophenylanine, 291
Fischer, J.A., see Fried, G., 315
Franck, J., see Fried, G., 315
Fried, G., Franck, J., Brodin, E., Born, W., Fischer, J.A., Hiort, W. and Hökfelt, T., Evidence for differential storage of calcitonin gene-related peptide, substance P and serotonin in synaptosomal vesicles of rat spinal cord, 315
Friedeman, M., see Gerhardt, G.A., 157
Fukami, Y. and Schlesinger, P.H., Endocytosis and transcytosis by the capsule cell of vertebrate muscle spindles, 249

Ganesan, R. and Sumners, C., Glucocorticoids potentiate the dipsogenic action of angiotensin II, 121
Gerfen, C.R., see Choi, W.C., 193
Gerhardt, G.A., Friedeman, M., Brodie, M.S., Vickroy, T.W., Gratton, A.P., Hoffer, B.J. and Rose, G.M., The effects of cholecystokinin (CCK-8) on dopamine-containing nerve terminals in the caudate nucleus and nucleus accumbens of the anesthetized rat: an in vivo electrochemical study, 157
Gobert, A., see Leviel, V., 205
Gratton, A.P., see Gerhardt, G.A., 157
Grill, H.J., see Kaplan, J.M., 63
Grillner, S., see Hill, R.H., 388
Grillo, C., Coirini, H., McEwen, B.S. and De Nicola, A.F., Changes of salt intake and of (Na + K)-ATPase activity in brain after high dose treatment with deoxycorticosterone, 225
Guibert, B., see Leviel, V., 205
Gybels, J., see Duysens, J., 131

Hamaoka,, T., see Nagashima, A., 191
Hammond, D.L., see Bloss, J.L., 344

Harper, C., see Riedel, A., 333
Hartung, M., Leah, J. and Zimmerman, M., The excitation of cutaneous nerve endings in a neuroma by capsaicin, 363
Hasser, E.M., see Segura, T., 53
Haywood, J.R., see Segura, T., 53
Head, G.A., see Elghozi, J.-L., 39
Heinsen, H., see Kornhuber, J., 81
Henneberry, R.C., see Cox, J.A., 267
Henneberry, R.C., see Lysko, P.G., 258
Henry, J.L., see Hong, Y., 169
Hess, A., Neuropathological changes in the caudate nucleus elicited by MPTP and their prevention by monoamine oxidase inhibition, 393
Hill, R.H., Brodin, L. and Grillner, S., Activation of *N*-methyl-D-aspartate (NMDA) receptors augments repolarizing responses in lamprey spinal neurons, 388
Hiort, W., see Fried, G., 315
Hoffer, B.J., see Gerhardt, G.A., 157
Hong, Y., Yashpal, K. and Henry, J.L., Cardiovascular responses to intrathecal administration of strychnine in the rat, 169
Huebner, W.P., see Maas, E.F., 153
Hökfelt, T., see Fried, G., 315

Ichimiya, Y., Emson, P.C., Mountjoy, C.Q., Lawson, D.E.M. and Iizuka, R., Calbindin-immunoreactive cholinergic neurones in the nucleus basalis of Meynert in Alzheimer-type dementia, 402
Iizuka, R., see Ichimiya, Y., 402
Iriyama, K., see Kanemitsu, H., 367
Iwamoto, T., see Kanemitsu, H., 367

Johannessen, J.N., Stuckey, J.A., Phan, T.H. and Boadle-Biber, M.C., Blockade of morphine-induced increases in brain tryptophan hydroxylase activity by systemic pretreatment with CCK-8: no reversal by vagotomy, 357
Johnson, M., Perry, R.H., Charlton, F.G., Moses, M.A., Court, J.A. and Perry, E.K., Distribution of [^{3}H]MK-801 binding in the normal aged human hippocampus, 184

Kameyama, T., see Ukai, M., 299
Kaminska, G., see Rozental, J.M., 397
Kamiya, H.-o., see Nagashima, A., 191
Kanemitsu, H., Tamura, A., Kirino, T., Oka, H., Sano, K., Iwamoto, T., Yoshiura, M. and Iriyama, K., Allopurinol inhibits uric acid accumulation in the rat brain following focal cerebral ischemia, 367
Kaplan, J.M. and Grill, H.J., Swallowing during ongoing fluid ingestion in the rat, 63
Kirino, T., see Kanemitsu, H., 367
Klekamp, J., see Riedel, A., 333
Konishi, T., Voltage-dependent potassium channels in cultured mammalian Schwann cells, 273
Konradi, C., see Kornhuber, J., 81
Korner, P.I., see Elghozi, J.-L., 39
Kornhuber, J., Konradi, C., Mack-Burkhardt, F., Riederer, P., Heinsen, H. and Beckman, H., Ontogenesis of monoamine oxidase-A and -B in the human brain frontal cortex, 81
Kretschmann, H.-J., see Riedel, A., 333
Krieger, A., see Murugaian, J., 371
Krukoff, T.L. and Weigel, M.A., Metabolic alterations in discrete regions of the rat brain during development of spontaneous hypertension, 1
Kubota, Y., See Takano, T., 174

Lawson, D.E.M., see Ichimiya, Y., 402
Leah, J., see Hartung, M., 363
Leigh, R.J., see Maas, E.F., 153
León-Olea, M., see Condés-Lara, M., 141
León-Olea, M., see Condés-Lara, M., 145
Leslie, S.W., see Dildy, J.E., 383
Leviel, V., Gobert, A. and Guibert, B., Direct observation of dopamine compartmentation in striatal nerve terminal by 'in vivo' measurement of the specific activity of released dopamine, 205
Lindsay, J.G., see Bagley, P.R., 214
Liu, W., see Sessler, F.M., 27
Lynch, III, J.J., Eskin, T.A. and Merigan, W.H., Selective degeneration of the parvocellular-projecting retinal ganglion cells in a New World monkey, *Saimiri sciureus*, 325
Lysko, P.G., Cox, J.A., Vigano, M.A. and Henneberry, R.C., Excitatory amino acid neurotoxicity at the *N*-methyl-D-aspartate receptor in cultured neurons: pharmacological characterization, 258
Lysko, P.G., see Cox, J.A., 267

Maas, E.F., Huebner, W.P., Seidman, S.H. and Leigh, R.J., Behavior of human horizontal vestibulo-ocular reflex in response to high-acceleration stimuli, 153
Mack-Burkhardt, F., see Kornhuber, J., 81
Malbon, C.C., see Takano, T., 174
Mallick, B.N., see Wu, M.-F., 7
Matsuoka, Y., see Nagashima, A., 191
McEwen, B.S., see Grillo, C., 225
Merigan, W.H., see Lynch, III, J.J., 325
Minzenberg, M.J., see Auerbach, S.B., 281
Moses, M.A., see Johnson, M., 184
Mountjoy, C.Q., see Ichimiya, Y., 402
Mouradian, R.D., see Sessler, F.M., 27
Murugaian, J., Sundaram, K., Krieger, A. and Sapru, H., Electrolytic lesions in the depressor area of the ventrolateral medulla of the rat abolish depressor responses to the aortic nerve stimulation, 371

Nagashima, A., Takano, Y., Tateishi, K., Matsuoka, Y., Hamaoka, T. and Kamiya, H.-o., Central pressor actions of neurokinin B: increases in neurokinin B contents in discrete nuclei in spontaneously hypertensive rats, 191
Nishikawa, T., see Yoshida, Y., 179
Nolan, C., see Bagley, P.R., 214

Ogita, K., see Yoneda, Y., 305
Oka, H., see Kanemitsu, H., 367
Omaña Zapata, I., see Condés-Lara, M., 141
Omaña Zapata, I., see Condés-Lara, M., 145
Osborne, P.G., Blair-West, J.R., Denton, D.A. and Weisinger, R.S., Effect of varying the composition of CSF on urinary excretion in the conscious rat, 101

Perry, E.K., see Johnson M., 184
Perry, R.H., see Johnson, M., 184
Phan, T.H., see Johannessen, J.N., 357
Porrino, L.J., see Crane, A.M., 87
Price, D.L., see Walker, L.C., 138

Rhee, S.G., see Choi, W.C., 193
Riedel, A., Klekamp, J., Harper, C. and Kretschmann, H.-J.,

Morphometricstudy on the postnatal growth of the cerebellum of Australian Aborigines and Caucasians, 333
Riederer, P., see Kornhuber, J., 81
Rompré, P.-P., see Shizgal, P., 234
Rose, G.M., see Gerhardt, G.A., 157
Rozental, J.M., Kaminska, G., Turner, J., Schwartz, T., Cadahia, V. and Brooks, B.R., Neuropeptide degradation by large vessel and microvessel-derived endothelial cells in vitro: cell surface catabolism of thyrotropin releasing hormone (TRH), 397

Sánchez-Alvarez, M., see Condés-Lara, M., 141
Sánchez-Alvarez, M., see Condés-Lara, M., 145
Sano, K., see Kanemitsu, H., 367
Sapru, H., see Murugaian, J., 371
Schindler, D., see Shizgal, P., 234
Schlesinger, P.H., see Fukami, Y., 249
Schwartz, T., see Rozental, J.M., 397
Scott Young III, W., see Walker, L.C., 138
Segura, T., Hasser, E.M., Shade, R.E. and Haywood, J.R., Evidence of an endogenous forebrain GABAergic system capable of inhibiting baroreceptor-mediated vasopressin release, 53
Seidman, S.H., see Maas, E.F., 153
Sessler, F.M., Mouradian, R.D., Cheng, J.-T., Yeh, H.H., Liu, W. and Waterhouse, B.D., Noradrenergic potentiation of cerebellar Purkinje cell responses to GABA: evidence for mediation through the β-adrenoceptor-coupled cyclic AMP system, 27
Shade, R.E., see Segura, T., 53
Shizgal, P., Schindler, D. and Rompré, P.-P., Forebrain neurons driven by rewarding stimulation of the medial forebrain bundle in the rat: comparison of psychophysical and electrophysiological estimates of refractory periods, 234
Sibbald, J.R., Wilson, B.K.J. and Day, T.A., Neuropeptide Y potentiates excitation of supraoptic neurosecretory cells by noradrenaline, 164
Siegel, J.M., see Wu, M.-F., 7
Stewart, J., see Vezina, P., 108
Straznicky, C., see Tóth, P., 378
Stuckey, J.A., see Johannessen, J.N., 357
Suh, P.G., see Choi, W.C., 193
Sumners, C., see Ganesan, R., 121
Sundaram, K., see Murugaian, J., 371

Takahashi, K., see Yoshida, Y., 179
Takano, T., Kubota, Y., Wanaka, A., Usuda, S., Tanaka, M., Malbon, C.C. and Tohyama, M., β-Adrenergic receptors in the vasopressin-containing neurons in the paraventricular and supraoptic nucleus of the rat, 174
Takano, Y., see Nagashima, A., 191
Tamura, A., see Kanemitsu, H., 367
Tanaka, M., see Takano, T., 174
Tanii, Y., see Yoshida, Y., 179
Tateishi, K., see Nagashima, A., 191
Tohyama, M., see Takano, T., 174
Tóth, P. and Straznicky, C., Biplexiform ganglion cells in the retina of *Xenopus laevis*, 378
Toyoshi, T., see Ukai, M., 299
Tucker, S.P., see Bagley, P.R., 214
Turner, J., see Rozental, J.M., 397

Ukai, M., Toyoshi, T. and Kameyama, T., Dynorphin A(1–13) modulates apomorphine-induced behaviors using multidimensional behavioral analyses in the mouse, 299
Usuda, S., see Takano, T., 174

Vezina, P. and Stewart, J., The effect of dopamine receptor blockade on the development of sensitization to the locomotor activating effects of amphetamine and morphine, 108
Vickroy, T.W., see Gerhardt, G.A., 157
Vigano, M.A., see Lysko, P.G., 258

Wagner, C.K. and Clemens, L.G., Anatomical organization of the sexually dimorphic perineal neuromuscular system in the house mouse, 93
Walker, L.C., Price, D.L. and Scott Young III, W., GABAergic neurons in the primate basal forebrain magnocellular complex, 138
Wanaka, A., see Takano, T., 174
Waterhouse, B.D., see Sessler, F.M., 27
Weigel, M.A., see Krukoff, T.L., 1
Weisinger, R.S., see Osborne, P.G., 101
Wilkinson, L.O., see Auerbach, S.B., 281
Wilson, B.K.J., see Sibbald, J.R., 164
Wolf, W.A., see Elghozi, J.-L., 39
Wu, M.-F., Mallick, B.N. and Siegel, J.M., Lateral geniculate spikes, muscle atonia and startle response elicited by auditory stimuli as a function of stimulus parameters and arousal state, 7

Yashpal, K., see Hong, Y., 169
Yeh, H.H., see Sessler, F.M., 27
Yoneda, Y. and Ogita, K., Labeling of NMDA receptor channels by [^{3}H]MK-801 in brain synaptic membranes treated with Triton X-100, 305
Yoshida, Y., Nishikawa, T., Tannii, Y. and Takahashi, K., Frontal decortication decreases the affinity of *N*-(1-[2-thienyl]cyclohexyl) [^{3}H]piperidine binding to rat striatum, 179
Yoshiura, M., see Kanemitsu, H., 367

Zimmerman, M., see Hartung, M., 363